



Specifications Noxion LED Panel Delta Pro V3 Highlum 36W 4840lm - 830 Warm White | 120x30cm - UGR <19 - Philips Xitanium Driver

[View Product](#)

## General Information

|                          |                                                                                     |
|--------------------------|-------------------------------------------------------------------------------------|
| SKU                      | 242018                                                                              |
| EAN                      | 8719157032407                                                                       |
| manufacturer_code        | 8719157032407                                                                       |
| Brand                    | Noxion                                                                              |
| Manufacturer Name        | Noxion LED Panel Delta Pro V3 Highlum 36W 4840lm 3000K 1200*300 UGR<19 (2x36W eqv.) |
| Any Lamp all-in warranty | 6 Years                                                                             |
| Average Lifetime (h)     | 50000                                                                               |
| Series                   | Delta Pro                                                                           |

## Technical Information

|                             |                 |
|-----------------------------|-----------------|
| Technology                  | LED Integrated  |
| Replaces (Watt)             | 2x36            |
| Wattage                     | 36W             |
| Voltage (V)                 | 220-240         |
| Dimmable                    | Not Dimmable    |
| Colour Code                 | 830 Warm White  |
| Colour temperature (Kelvin) | 3000 Warm White |
| Colour Rendering (Ra)       | 80-89           |
| Colour of Light             | White           |
| Light Colour Options        | Single Color    |

|                        |                        |
|------------------------|------------------------|
| Luminous Flux (Lumen)  | 4840lm                 |
| Lumen per watt         | 145                    |
| IP-Rating              | IP20                   |
| Impact Protection (IK) | IK03 - 0.35 joule      |
| Fixture Connection     | PI [Push-in connector] |
| Finish of Reflector    | Frosted                |
| Driver Included        | Yes                    |
| Power factor           | >0.90                  |
| Product Type Category  | LED Panel              |

## Fixture Information

---

|                       |                                |
|-----------------------|--------------------------------|
| Mounting Method       | Recessed                       |
| Unified Glare Rating  | < 19 - for offices and schools |
| Optical Cover         | PS (Polystyrene)               |
| Operating Temperature | +10 to +45                     |
| Emergency Lighting    | No Emergency Unit              |
| Colour of the Fixture | White                          |
| Housing               | Aluminium                      |
| Colour of material    | White                          |

## Dimensions

---

|                |          |
|----------------|----------|
| LED panel size | 120x30cm |
| Length (mm)    | 1195     |
| Width (mm)     | 295      |
| Height (mm)    | 10       |

## Sensor Information

---

Type of sensor

No Sensor

### Why Any-lamp?



Order from the **largest lighting specialist** in Europe



**Customised** quotation



Up to **7 years warranty**



**Easy** return process

